



SKL-E Pack

Silent and emission-free
unloading of silo vehicles



SKL-E Pack

Silent and emission-free unloading of silo vehicles



Discover our high-performance SKL-E Pack units - the perfect solution for stationary unloading of silo vehicles. Our SKL-E Pack units are designed to the latest state of the art and ensure quick and smooth unloading of bulk goods (e.g., cement, flour, lime, PVC granules, soda, animal feed and sand).


Our solution for stationary unloading of silo vehicles ensures that neither the truck engine nor the truck's own compressor need to run while unloading. This ensures low-pollution and low-noise unloading. Additionally, an optional speed control can optimise power consumption to save as much energy as possible.

Our SKL-E Pack units with their integrated oil-free SKL 700 – 1100 screw compressors represent short standstills, low operating costs, and user-friendly operation. They combine all advantages of stationary unloading in a single product!

Advantages:

- High availability by robust and high-quality build
- Optimal volume flow adjustment by large speed range
- Low-pollutant output
- Low noise level
- Plug-and-play-design
- Integrated oil pump for gear and easy to change oil filter

Dimensions:



Options:

- Optional with compressed air cooler
- Optional with frequency converter
 - The frequency converter can always warrant optimal operating pressure and volume flow.
- The speed control optimises power consumption (lowering of energy costs)

Technical data:

	Pressure bar (g)	Speed U/min	Suction volume flow m³/h	Compressor	E-Motor kW
SKL-E 450/1,5/22	1,5	2400 - 2800	395 - 450	SKL 700	22
SKL-E 610/1,5/30	1,5	2400 - 3600	395 - 610	SKL 700	30
SKL-E 520/2,0/30	2,0	2400 - 3200	385 - 520	SKL 700	30
SKL-E 430/2,5/30	2,5	2400 - 2800	375 - 430	SKL 700	30
SKL-E 600/2,0/37	2,0	2400 - 3600	385 - 600	SKL 700	37
SKL-E 590/2,5/37	2,5	2400 - 3500	375 - 590	SKL 700	37
SKL-E 800/1,5/37	1,5	2000 - 3000	500 - 800	SKL 1100	37
SKL-E 860/1,5/45	1,5	2000 - 3200	500 - 860	SKL 1100	45
SKL-E 770/2,0/45	2,0	2000 - 3000	490 - 770	SKL 1100	45
SKL-E 690/2,5/45	2,5	2000 - 2800	480 - 690	SKL 1100	45
SKL-E 980/2,0/55	2,0	2000 - 3600	490 - 980	SKL 1100	55
SKL-E 810/2,5/55	2,5	2000 - 3150	480 - 810	SKL 1100	55

Please
contact us:

